

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	.   1	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/762,553 01/23/2004		01/23/2004	Jochen Von Der Hardt	010743.52910US	3212
23911	7590	06/03/2005		EXAMINER	
		RING LLP ROPERTY GROUP	PERRIN, JOSEPH L		
P.O. BOX		COLEKT T GROOT	ART UNIT	PAPER NUMBER	
WASHING	TON, DO	20044-4300	1746		

DATE MAILED: 06/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Ameliasti Ala	Applicant -				
		Application No.	Applicant(s)				
Office Action Summer		10/762,553	VON DER HARDT ET AL.				
	Office Action Summary	Examiner	Art Unit				
	The MAIL INC DATE of this arrangement and	Joseph L. Perrin, Ph.D.	1746				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with	the correspondence address				
THE - Exte after - If the - If NC - Failt Any	MORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. ensions of time may be available under the provisions of 37 CFR 1.13 of SIX (6) MONTHS from the mailing date of this communication. To period for reply specified above is less than thirty (30) days, a reply of period for reply is specified above, the maximum statutory period variet to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply y within the statutory minimum of thirty (3 will apply and will expire SIX (6) MONTH , cause the application to become ABAN	y be timely filed  30) days will be considered timely.  S from the mailing date of this communication.  IDONED (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on <u>04 A</u>	pril 2005.					
2a)⊠	This action is FINAL. 2b) ☐ This action is non-final.						
3)[	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 1	1, 453 O.G. 213.				
Disposit	ion of Claims						
4)⊠	Claim(s) <u>11-21</u> is/are pending in the application.  4a) Of the above claim(s) <u>1-10</u> is/are withdrawn from consideration.  Claim(s) is/are allowed.						
_							
·							
6)⊠	Claim(s) <u>11-21</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/or	r election requirement.					
Applicat	ion Papers						
9)[	The specification is objected to by the Examine	er.					
_	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
,—	Applicant may not request that any objection to the						
	Replacement drawing sheet(s) including the correct	- · · ·	` ,				
11)	The oath or declaration is objected to by the Ex		•				
Priority ı	under 35 U.S.C. § 119						
_	Acknowledgment is made of a claim for foreign	nriority under 35 H S C & 4	19(a)-(d) or (f)				
	☐ All b)☐ Some * c)☐ None of:	priority under 33 0.3.C. § 1	19(a)-(u) or (i).				
a)ı	1.☐ Certified copies of the priority documents	s have been received					
			liantine No.				
	<ul><li>2. Certified copies of the priority documents</li><li>3. Copies of the certified copies of the priority</li></ul>						
	_ ,		ceived in this National Stage				
* 0	application from the International Bureau See the attached detailed Office action for a list		coived				
	TO THE GRADING GOLDING CHIEF GOLDING A HALL	or the certified copies not let					
Attachmen		<b></b> □	(77.0.1.0)				
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)		mary (PTO-413) fail Date				
3) 🔯 Inforr	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		mal Patent Application (PTO-152)				
Pape	r No(s)/Mail Date <u>20050404</u> .	6) 🔲 Other:					

Part of Paper No./Mail Date 20050531

#### **DETAILED ACTION**

#### Election/Restrictions

1. Applicant's election of Group II, claims 11-21 in the reply filed on 04 April 2005 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

#### Response to Arguments

2. In response to applicant's response filed 25 February 2005, the status of the application is as follows:

#### Oath/Declaration Objections

The objection of the Oath/Declaration is withdrawn in view of applicant's arguments.

## Rejection under 35 U.S.C. §112, second paragraph

The rejection of claims 11-21 under 35 U.S.C. §112, second paragraph is maintained for reasons of record.

#### Rejection under 35 U.S.C. §102

Applicant's arguments re claims 11-20 have been fully considered but they are not persuasive. In response to applicant's argument that Kononov does not disclose the claimed "testing" device, this is not persuasive because Kononov clearly discloses an apparatus for cleaning and testing a filter (see entire document, for instance, the

abstract). Moreover, it is noted that applicant's arguments with respect to the apparatus of Kononov being "arranged in a completely different manner", this is not persuasive because the <u>structure</u> of Kononov anticipates applicant's <u>claimed</u> arrangement.

Rejection under 35 U.S.C. §103

Applicant's arguments re claim 21 have been fully considered but they are not persuasive. Applicant argues that since Kononov fails to disclose a filter testing device, the combination of Kononov and Phipps fail to disclose the claimed filter testing device. This is not persuasive for at least reasons of same given above with respect to Kononov.

## Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 11-21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 5. Regarding claim 11, the word "means" is preceded by the word(s) "switching" in an attempt to use a "means" clause to recite a claim element as a means for performing a specified function. However, since no function is specified by the word(s) preceding "means," (*i.e.* what is being switched?) it is impossible to determine the equivalents of the element, as required by 35 U.S.C. 112, sixth paragraph. See *Ex parte Klumb*, 159

Art Unit: 1746

USPQ 694 (Bd. App. 1967). Applicant is reminded of proper language for invoking 112, sixth paragraph (MPEP §2181(I)):

A claim limitation will be interpreted to invoke 35 U.S.C. 112, sixth paragraph, if it meets the following 3-prong analysis:

- (A) the claim limitations must use the phrase "means for " or "step for ":
- (B) the "means for " or "step for " must be modified by functional language; and
- (C) the phrase "means for " or "step for " must not be modified by sufficient structure, material or acts for achieving the specified function.

With respect to the first prong of this analysis, a claim element that does not include the phrase "means for" or "step for" will not be considered to invoke 35 U.S.C. 112, sixth paragraph. If an applicant wishes to have the claim limitation treated under 35 U.S.C. 112, sixth paragraph, applicant must either: (A) amend the claim to include the phrase "means for" or "step for" in accordance with these guidelines; or (B) show that even though the phrase "means for" or "step for" is not used. the claim limitation is written as a function to be performed and does not recite sufficient structure, material, or acts which would preclude application of 35 U.S.C. 112, sixth paragraph. See Watts v. XL Systems, Inc., 232 F.3d 877, 56 USPQ2d 1836 (Fed. Cir. 2000) (Claim limitations were held not to invoke 35 U.S.C. 112, sixth paragraph, because the absence of the term "means" raised the presumption that the limitations were not in means-plus-function form, nor was the presumption rebutted.); see also Masco Corp. v. United States, 303 F.3d 1316, 1327, 64 USPQ2d 1182, 1189 (Fed. Cir. 2002).

6. Accordingly, in the instant case applicant's claimed "switching means" is not considered to invoke 35 U.S.C. 112, sixth paragraph, since it is unclear what function applicant is claiming. Is this limitation a means for switching the valves (i.e. computer/automation) or is it a means for switching the flow of the lines (i.e. valves)? Applicant's amendment indicating the switching means having an "open state" and "closed state" which "can be" (intended use, not a positively recited limitation) brought into or out of communication with internal volumes, does not

Application/Control Number: 10/762,553 Page 5

Art Unit: 1746

sufficiently provide functionality to the claimed "switching means" to invoke 35 U.S.C. §112, sixth paragraph. As best understood, for instance in view of dependent claim 17, the limitation is directed to pneumatic valves. However, clarification and correction are still required. This rejection is repeated from the previous Office action.

## Claim Rejections - 35 USC § 102

- 7. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 8. Claims 11-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Kononov (previously cited). Re claims 11-20, Kononov discloses a device 8 having a CPU 13 controlling a plurality of pneumatic valves V1-V13 (having "an open state" and "a closed state") connecting a plurality of lines having "internal volumes" and external connections (various lines) connected to filter housing 10, a cleaning supply (top left of Figure 1), a compressed air source (top left of Figure 1) which reads on an external tank, and an internal tank (housing 10) (see Figure 1 and relative associated text, *i.e.* col. 2, line 65 et seq.). Recitation of Kononov reads on applicant's claimed apparatus.

### Claim Rejections - 35 USC § 103

9. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Application/Control Number: 10/762,553 Page 6

Art Unit: 1746

10. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kononov in view of Phipps, Jr. (previously cited). Recitation of Kononov is repeated here from above. Although Kononov discloses the need for sterilization of the apparatus for food and drug manufacturing standards (col. 2, lines 3-24), Kononov does not expressly disclose using steel or PTFE lines or parts. Phipps, Jr. teaches that it is known to utilize steel or PTFE (Teflon®) plumbing parts due to their inertness, *i.e.* bioresistivity (col. 6, lines 48-55). Therefore, the position is taken that a person of ordinary skill in the art at the time the invention was made would have been motivated to utilize bioresistant materials in the apparatus of Kononov in order to maintain sterilization integrity of the filter test system.

#### Conclusion

- 11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 12. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/762,553 Page 7

Art Unit: 1746

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph L. Perrin, Ph.D. whose telephone number is (571)272-1305. The examiner can normally be reached on M-F 7:00-4:30, except alternate Fridays.

- 14. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael E. Barr can be reached on (571)272-1414. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.
- 15. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Joseph L. Perrin, Ph.D.

Examiner Art Unit 1746